L Number	Hits	Search Text	DB	Time stamp
	0	(licence near10 software) and (free near10	USPAT;	2004/05/19 10:31
		version) and (royalt\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
		(1:10	IBM_TDB USPAT;	2004/05/19 10:32
-	0	(licence near10 software) and (free near10 ad) and (royalt\$3)	US-PGPUB;	2004/05/19 10:32
		ad) and (royarcas)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(licence near10 software) and (royalt\$3)	USPĀT;	2004/05/19 10:32
		·	US-PGPUB;	1
1			EPO; JPO;	
			DERWENT;	
	2251		IBM_TDB USPAT;	2004/05/19 10:32
-	2351	software and royalt\$3	US-PGPUB;	2004/05/19 10:32
			EPO; JPO;	
			DERWENT;	
			IBM TDB	İ
_	117	(software and royalt\$3) and (multiple	USPAT;	2004/05/19 10:33
		near10 version)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
	115	//aaftuara and manal+62\ and /mul+inl-	IBM_TDB USPAT;	2004/05/19 10:35
-	115	((software and royalt\$3) and (multiple near10 version)) and (register\$3 or	US-PGPUB;	2004/00/19 10:33
		purchas\$3 or buy\$3)	EPO; JPO;	
		parenasys or bayys,	DERWENT;	].
			IBM TDB	
_	0	(((software and royalt\$3) and (multiple	USPĀT;	2004/05/19 10:35
		near10 version)) and (register\$3 or	US-PGPUB;	
		purchas\$3 or buy\$3)) and (authoriz\$3	EPO; JPO;	
		near10 member)	DERWENT;	
	5.0	(//asftuare and manalt(3) and (multiple	IBM_TDB USPAT;	2004/05/19 12:21
_	59	(((software and royalt\$3) and (multiple near10 version)) and (register\$3 or	US-PGPUB;	2004/05/19 12:21
		purchas\$3 or buy\$3)) and (authoriz\$3	EPO; JPO;	
		near10 (client user member))	DERWENT;	
			IBM TDB	
-	0	(((software and royalt\$3) and (multiple	USPAT;	2004/05/19 12:22
		near10 version)) and (register\$3 or	US-PGPUB;	
		purchas\$3 or buy\$3)) and (REGISTER\$3	EPO; JPO;	
		NEAR20 (LICENCE NEAR10 (MACHINE DEVICE)))	DERWENT;	
	1	(((software and royalt\$3) and (multiple	<pre>IBM_TDB USPAT;</pre>	2004/05/19 12:25
	1	near10 version)) and (register\$3 or	US-PGPUB;	
		purchas\$3 or buy\$3)) and (REGISTER\$3	EPO; JPO;	
		NEAR20 (SOFTWARE NEAR10 (MACHINE DEVICE)))	DERWENT;	
			IBM_TDB	
-	33		USPAT;	2004/05/19 12:32
		near10 version)) and (register\$3 or	US-PGPUB;	
		purchas\$3 or buy\$3)) and (EXECUT\$3 NEAR10 (SOFTWARE NEAR10 (MACHINE DEVICE)))	EPO; JPO; DERWENT;	
		(OOLIMAKE MEAKIO (MACHINE DEVICE)))	IBM TDB	,
_	2	6108420.PN.	USPAT;	2004/05/19 12:53
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	2004/05/55 55 55
-	2	6526456.PN.	USPAT;	2004/05/19 13:07
	1		US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2894	FREE NEAR10 SOFTWARE	USPAT;	2004/05/19 13:07
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
L	L		IBM_TDB	

-	474	(FREE NEAR10 SOFTWARE) AND (REGISTER\$3	USPAT;	2004/05/19 13:08
		NEAR20 (MACHINE OR DEVICE))	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	72	((FREE NEAR10 SOFTWARE) AND (REGISTER\$3	USPAT;	2004/05/19 13:13
	, ,	NEAR20 (MACHINE OR DEVICE))) AND	US-PGPUB;	2004/03/13 13:13
		(AUTHENTICAT\$3 NEAR10 (DEVICE OR MACHINE	EPO; JPO;	
		OR USER))	DERWENT;	
			IBM_TDB	
-	42		USPAT;	2004/05/19 13:40
		OR USER)) AND (SMART-CARD NEAR READER) AND	US-PGPUB;	
		((DIGITAL NEAR CONTENT) OR SOFTWARE OR	EPO; JPO;	
		CONTENT OR DATA)	DERWENT; IBM TDB	
_	. 0	(AUTHENTICAT\$3 NEAR10 (DEVICE OR MACHINE	USPAT;	2004/05/19 13:40
		OR USER)) AND (SMART-CARD NEAR READER) AND	US-PGPUB;	2001/00/19 13:40
		(MULTIPLE NEAR10 (SOFTWARE NEAR VERSION))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	42		USPAT;	2004/05/19 13:41
	1	OR USER)) AND (SMART-CARD NEAR READER)	US-PGPUB; EPO; JPO;	
	[		DERWENT;	
			IBM TDB	
-	67	((IDENTIF\$3 OR AUTHENTICAT\$3) NEAR10	USPAT;	2004/05/19 13:42
	}	(DEVICE OR MACHINE OR USER)) AND	US-PGPUB;	
		(SMART-CARD NEAR READER)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/10 10 10
-	0	(((IDENTIF\$3 OR AUTHENTICAT\$3) NEAR10	USPAT;	2004/05/19 13:42
		(DEVICE OR MACHINE OR USER)) AND (SMART-CARD NEAR READER) ) AND (MULTIPLE	US-PGPUB; EPO; JPO;	
		NEAR10 VERSIONS)	DERWENT;	
		Harris vanorono,	IBM TDB	
_	6540	MULTIPLE NEAR10 VERSIONS	USPAT;	2004/05/19 13:42
			US-PGPUB;	
			EPO; JPO;	
		1	DERWENT;	
<u> </u>	577	(MULTIPLE NEAR10 VERSIONS) AND (LOAD\$3	IBM_TDB USPAT;	2004/05/19 13:44
	]	NEAR10 SOFTWARE)	US-PGPUB;	2004/05/15 15.44
		Halikio Solimika)	EPO; JPO;	
1			DERWENT;	
			IBM_TDB	
-	0		USPĀT;	2004/05/19 13:43
1		NEAR10 SOFTWARE)) AND ((AUTHENTICAT\$3	US-PGPUB;	
		NEAR10 (DEVICE OR MACHINE OR USER)) AND   (SMART-CARD NEAR READER) )	EPO; JPO; DERWENT;	
1		(SMAKI-CARD NEAK KEADEK) )	IBM TDB	
_	39	((MULTIPLE NEAR10 VERSIONS) AND (LOAD\$3	USPAT;	2004/05/19 13:44
		NEAR10 SOFTWARE)) AND (AUTHORIZ\$3 NEAR10	US-PGPUB;	
		EXECUT\$4)	EPO; JPO;	
			DERWENT;	
		- NUMBER TRACE NUMBER OF THE COURT OF	IBM_TDB	0004/05/10 10 11
ļ -	2018	AUTHORIZ\$3 NEAR10 EXECUT\$4	USPAT;	2004/05/19 13:44
	1		US-PGPUB; EPO; JPO;	
			DERWENT;	
	]		IBM TDB	
-	1	(AUTHORIZ\$3 NEAR10 EXECUT\$4) AND	USPAT;	2004/05/19 13:47
	1	(SMART-CARD NEAR10 READER) AND (SOFTWARE	US-PGPUB;	
	1	NEAR VERSIONS)	EPO; JPO;	
	1		DERWENT;	
_	45	NETZERO	IBM_TDB USPAT;	2004/05/19 13:47
_	45	NETZERO	USPAT; US-PGPUB;	2004/03/13 13:4/
			EPO; JPO;	
	1		DERWENT;	
L	L	_	IBM TDB	
		· · · · · · · · · · · · · · · · · · ·		

-	0	NETZERO AND (((IDENTIF\$3 OR AUTHENTICAT\$3)	USPAT;	2004/05/19 13:48
		NEAR10 (DEVICE OR MACHINE OR USER)) AND	US-PGPUB;	
		(SMART-CARD NEAR READER) )	EPO; JPO;	
			DERWENT;	
		NEMBERO AND ANDMIRNET CAMAS NEADIA MOEDI	IBM_TDB	2004/05/10 12 54
_	'	NETZERO AND (AUTHENTICAT\$3 NEAR10 USER)	USPAT;	2004/05/19 13:54
			US-PGPUB;	
	ļ .		EPO; JPO;	
			DERWENT;	
		#5306053# DN	IBM_TDB	2004/05/10 12:51
_		"5796952".PN. "6279036".PN.	USPAT USPAT	2004/05/19 13:51 2004/05/19 13:52
_	1	"6178453".PN.	USPAT	2004/05/19 13:52
1 _	22		USPAT;	2004/05/19 13:59
		NEITEDRO AND (CONNECTOS NEARLE OBERT	US-PGPUB;	2004/03/13 13:33
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	13844	INTERNET NEAR SERVICE NEAR PROVIDER	USPĀT;	2004/05/19 13:59
			US-PGPUB;	=====================================
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1268	(INTERNET NEAR SERVICE NEAR PROVIDER) AND	USPAT;	2004/05/19 13:59
		(REGISTER\$3 NEAR USER)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	100	((INTERNET NEAR SERVICE NEAR PROVIDER) AND	USPAT;	2004/05/19 14:02
		(REGISTER\$3 NEAR USER)) AND (MULTIPLE NEAR	US-PGPUB;	
		(ACCESS NEAR LEVEL))	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	8	, ,	USPAT;	2004/05/19 14:02
		(REGISTER\$3 NEAR USER)) AND (FREE NEAR	US-PGPUB;	
	1	CONNECTION)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/00 16 00
_	702	security near attribute	USPAT;	2004/05/20 16:23
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	317	licence near10 software	USPAT;	2004/05/20 16:23
	) ) ) )	incence hearto sortware	US-PGPUB;	2004/03/20 10:23
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	(security near attribute) and (licence	USPAT;	2004/05/20 16:23
	_ '	near10 software )	US-PGPUB;	
		,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	27	(security near attribute) and (digital	USPĀT;	2004/05/20 16:28
		near right)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	33	1	USPAT;	2004/05/20 16:32
		hardware or environment) near dependent)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	0004/05/01 10 11
_	27	1 ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' ' '	USPAT;	2004/05/21 13:11
		hardware or environment) near dependent))	US-PGPUB;	
		and free	EPO; JPO;	
			DERWENT;	
L	<u> L</u>		_IBM_TDB	

-	13890	internet near service near provider	USPAT;	2004/05/21 15:11
			US-PGPUB;	
			EPO; JPO;	
	·×-		DERWENT; IBM TDB	
_	533	(internet near service near provider) and	USPAT;	2004/05/21 13:12
		(access near level)	US-PGPUB;	2004/03/21 13.12
		(accept near rever)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	78	((internet near service near provider) and	USPAT;	2004/05/21 13:41
		(access near level)) and (software near10	US-PGPUB;	
		versions)	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	514	((internet near service near provider) and	USPAT;	2004/05/21 13:42
		(access near level)) and (netzero near10	US-PGPUB;	
		free near "10" connection)	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	((internet near service near provider) and	USPAT;	2004/05/21 13:42
		(access near level)) and (netzero near10	US-PGPUB;	2004/03/21 13:42
		(free near10 connect\$4))	EPO; JPO;	
		· · · · · · · · · · · · · · · · · · ·	DERWENT;	
			IBM TDB	
-	0	<pre>(netzero near10 (free near10 connect\$4))</pre>	USPĀT;	2004/05/21 13:42
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	221	((internet near service near provider) and	USPAT;	2004/05/21 13:50
		(access near level)) and (access near10	US-PGPUB;	
		rights)	EPO; JPO; DERWENT;	
	[		IBM TDB	
_	2978	multiple near version	USPAT;	2004/05/21 13:50
	25,18		US-PGPUB;	100.,00,21 10.00
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	554	(multiple near version) and (access near10	USPAT;	2004/05/21 13:51
}		(rights or levels))	US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
1_	100	((multiple pear version) and (seeses	IBM_TDB USPAT;	2004/05/21 13:52
-	190	((multiple near version) and (access near10 (rights or levels))) and	US-PGPUB;	2004/05/21 13:52
		(authenticat\$3 near (user or client or	EPO; JPO;	
		members))	DERWENT;	
		·,,	IBM TDB	
-	28	(((multiple near version) and (access	USPAT;	2004/05/21 13:56
		near10 (rights or levels))) and	US-PGPUB;	
1		(authenticat\$3 near (user or client or	EPO; JPO;	
		members))) and (user-specific)	DERWENT;	
			IBM_TDB	2004/05/01 12 55
-	0	user-spcific near20 (software near	USPAT;	2004/05/21 13:57
		functionality)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	user-spcific near20 (software near	USPAT;	2004/05/21 13:57
		functionalit\$3)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	0	user-spcific near20 version	USPAT;	2004/05/21 13:57
			US-PGPUB;	
1			EPO; JPO;	}
			DERWENT;	
1	i l		IBM TDB	1

_	0	user-spcific near20 execution	USPAT; US-PGPUB;	2004/05/21 13:57
			EPO; JPO; DERWENT;	
			IBM TDB	
-	8	(internet near service near provider) and	USPĀT;	2004/05/21 14:30
		<pre>(user-specific near (access\$3 or connection))</pre>	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3977	<pre>(internet near service near provider) and  ((default or user-specific or ((user or</pre>	USPAT; US-PGPUB;	2004/05/21 14:33
		device or machine) near specific) near10	EPO; JPO;	
		(access or connection or "access right")))	DERWENT;	
_	2560	((default or user-specific or ((user or	IBM_TDB USPAT;	2004/05/21 14:34
	2500	device or machine) near specific) near10	US-PGPUB;	2004/03/21 14.34
		(access or connection or "access right")))	EPO; JPO;	
		and (software near product)	DERWENT;	
_	278	((default near10 (access or connection or	IBM_TDB USPAT;	2004/05/21 14:34
		"access right"))) and (software near	US-PGPUB;	
		product)	EPO; JPO; DERWENT;	
			IBM TDB	
-	213	(((default near10 (access or connection or	USPAT;	2004/05/21 14:35
		"access right"))) and (software near product)) and (authenticat\$3 or	US-PGPUB; EPO; JPO;	
		authoriz\$3)	DERWENT;	
			IBM_TDB	
-	46	<pre>(internet near service near provider) and   ((default near access))</pre>	USPAT; US-PGPUB;	2004/05/24 09:38
	1	((derault hear access))	EPO; JPO;	
			DERWENT;	
_	5	(internet near service near provider) and	IBM_TDB USPAT;	2004/05/24 09:46
	,	((default near access)) and (access near	US-PGPUB;	2004/03/21 03.10
		level)	EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(internet near service near provider) and	USPAT;	2004/05/24 09:47
		((default near access)) and (fast near service)	US-PGPUB; EPO; JPO;	
		Service)	DERWENT;	
			IBM_TDB	
-	0	(internet near service near provider) and ((default near access)) and (faster near	USPAT; US-PGPUB;	2004/05/24 09:47
		service)	EPO; JPO;	
			DERWENT;	
_	0	(internet near service near provider) and	IBM_TDB USPAT;	2004/05/24 09:47
		((default near access)) and (faster near	US-PGPUB;	
		connection)	EPO; JPO;	
			DERWENT;	
_	3		USPĀT;	2004/05/24 09:50
		((default near access)) and ((high-speed or "high speed") near connection)	US-PGPUB; EPO; JPO;	
	1	or high speed / hear connection/	DERWENT;	
			IBM_TDB	0004/05/04 00 50
_	0	(internet near service near provider) and ((default near access)) and ((high-speed	USPAT; US-PGPUB;	2004/05/24 09:50
		or "high speed") near service)	EPO; JPO;	
			DERWENT;	
_	0	(internet near service near provider) and	IBM_TDB USPAT;	2004/05/24 10:01
		((default near access)) and ((high-speed	US-PGPUB;	
		or "high speed") near version)	EPO; JPO; DERWENT;	
			IBM TDB	
	<del></del>	Landard Control of the Control of th		

-	0	dymanic near10 (software near install\$4)	USPAT; US-PGPUB;	2004/05/24 10:02
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	0	addaptive near10 (software near install\$4)	USPĀT;	2004/05/24 10:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6	adaptive near10 (software near install\$4)	USPAT;	2004/05/24 10:17
		(00100000000000000000000000000000000000	US-PGPUB;	2001/00/21 10:1/
			EPO; JPO;	
	İ		DERWENT;	
			IBM_TDB	
-	0	(software near install\$4) near10 ("based on" near authentication)	USPAT;	2004/05/24 10:17
		on hear authentication)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2844	Music near10 software	USPAT;	2004/05/26 13:16
			US-PGPUB;	
			EPO; JPO;	
1			DERWENT; IBM TDB	
_	451	(Music near10 software) and (download\$3	USPAT;	2004/05/26 14:25
	131	near10 software)	US-PGPUB;	2004/03/20 14.23
		,	EPO; JPO;	·
1			DERWENT;	
l			IBM_TDB	
-	4	( \	USPAT;	2004/05/26 15:33
		near10 software)) and preview\$3 and ((buy\$3 and purchas\$4) near10 music)	US-PGPUB; EPO; JPO;	
		((buy45 and purchas44) heario music)	DERWENT;	
			IBM TDB	
-	0	download\$3 near music near player near10	USPĀT;	2004/05/26 13:55
		software	US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	0	(download\$3 near10 softwareand ) and	USPAT;	2004/05/26 13:55
		(music near player)	US-PGPUB;	2001,00,20 10.00
			EPO; JPO;	
			DERWENT;	
_	117	/dounland\$2 nonn10 nofficers) and (min)	IBM_TDB	2004/05/06 12 55
-	'''	(download\$3 near10 software) and (music near player)	USPAT; US-PGPUB;	2004/05/26 13:56
		near prayer,	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	28		USPAT;	2004/05/26 13:56
		near player) ) and preview and version	US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	2	6442694.pn.	USPAT;	2004/05/27 10:38
		•	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	0	6969632.pn.	IBM TDB	2004/05/27 10:20
		0909032.pm.	USPAT; US-PGPUB;	2004/05/27 10:39
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5969632.pn.	USPĀT;	2004/05/27 17:39
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
	L		1211100	<u> </u>

	,			
-	2	5991881.pn.	USPAT;	2004/05/27 17:39
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	1	2001/0034846	USPAT;	2004/06/02 14:29
	_		US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
ļ			·	
	000		IBM_TDB	2004/06/00 14 20
-	203	beery.in.	USPAT;	2004/06/02 14:29
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	0	beery.in. and "digital data and software	USPAT;	2004/06/02 14:30
		security protection"	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	0	beery.in. and ("digital data and software	USPAT;	2004/06/02 14:31
-				2004/00/02 14:31
		security protection".ti.)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
-			IBM_TDB	
-	1	beery.in. and (software near security near	USPAT;	2004/06/02 14:34
1		protection)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	,
<u>-</u>	620	brody.in.	USPAT;	2004/06/02 14:34
		DECAY . III.	US-PGPUB;	2001,00,02 14.54
			EPO; JPO;	
			DERWENT;	
	_	[, _ , _ , _ , _ ,	IBM_TDB	0004/06/00 15 5:
-	0	brody.in. and (debugger)	USPAT;	2004/06/02 15:54
1			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	25	run-time near debugger	USPĀT;	2004/06/02 14:37
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
	1	brody in and discouraging	USPAT;	2004/06/02 16:02
-	"	brody.in. and discouraging		2004/00/02 10:02
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	,
-	758	proxy and (access near right)	USPAT;	2004/06/02 16:03
			US-PGPUB;	
1			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	2	5,287,408.pn.	USPAT;	2004/06/03 10:58
	[		US-PGPUB;	= 0.00, 00, 00
			EPO; JPO;	
			DERWENT;	
	_	E 700 700	IBM_TDB	2004/06/02 11:00
1 -	2	5,708,709.pn.	USPAT;	2004/06/03 11:00
			US-PGPUB;	
	i		EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	2	5,872,915.pn.	USPĀT;	2004/06/03 11:02
		· · ·	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
L	L	<u> </u>	TDE TDD	L

_				
-	2	5,974,549.pn.	USPAT;	2004/06/03 11:04
			US-PGPUB; EPO; JPO;	
•			DERWENT;	
			IBM_TDB	
-	2	5,978,484.pn.	USPAT;	2004/06/03 11:50
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
_	70	version near initiat\$3	USPAT;	2004/06/03 11:50
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
_	2	(version near initiat\$3) and (load\$3 near	USPAT;	2004/06/03 11:51
		software)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	7	(version near initiat\$3) and (install\$3	IBM_TDB USPAT;	2004/06/03 11:51
	·	near software)	US-PGPUB;	2004/00/03 11.31
		,	EPO; JPO;	
			DERWENT;	
<u> </u>	6	((wordien near initiates) and (installes)	IBM_TDB	2004/06/02 11-52
-	6	((version near initiat\$3) and (install\$3 near software)) not ((version near	USPAT; US-PGPUB;	2004/06/03 11:53
		initiat\$3) and (load\$3 near software))	EPO; JPO;	
		(	DERWENT;	
			IBM_TDB	
-	2	6219669.pn.	USPAT;	2004/06/03 14:11
			US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	416	x.509 near certificate	USPAT;	2004/06/03 14:15
			US-PGPUB;	
			EPO; JPO; DERWENT;	
			IBM TDB	
-	321	licence near10 software	USPAT;	2004/06/03 14:12
			US-PGPUB;	
			EPO; JPO;	
			DERWENT; IBM TDB	
-	4	(x.509 near certificate) and (licence	USPAT;	2004/06/03 14:12
	_	near10 software)	US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
_	186	(x.509 near certificate) and cryptography	IBM_TDB USPAT;	2004/06/03 14:22
	100	,	US-PGPUB;	2001,00,03 14.22
			EPO; JPO;	
			DERWENT;	
_		//v 500 noar cortificato\ and	IBM_TDB	2004/06/03 14:42
-	4	((x.509 near certificate) and cryptography) and licence	USPAT; US-PGPUB;	2004/06/03 14:42
1			EPO; JPO;	
			DERWENT;	
	. [		IBM_TDB	
-	4	((x.509 near certificate) and	USPAT;	2004/06/03 14:43
		cryptography) and (copy near protect\$3)	US-PGPUB; EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	3	(((x.509 near certificate) and	USPĀT;	2004/06/04 11:25
		cryptography) and (copy near protect\$3))	US-PGPUB;	
		not (((x.509 near certificate) and cryptography) and licence)	EPO; JPO; DERWENT;	
		orlesography, and freence,	IBM TDB	
<u> </u>		I		L

_	42544	discriminator	USPAT;	2004/06/04 11:25
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	54	discriminator and (software near version)	USPAT;	2004/06/04 11:44
!			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	2	6526456.pn.	USPAT;	2004/06/04 11:44
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	ĺ
			IBM_TDB	
-	2	6108420.pn.	USPAT;	2004/06/04 12:53
			US-PGPUB;	ļ
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	19	routtenberg.in.	USPAT;	2004/06/04 12:53
			US-PGPUB;	
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	

Page 9